

measure rollnick "readiness to change " -2002

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 55 of 55 for measure rollnick "readiness to change " -2002 -2003 -2004 -2005 -2001. (0.11 seconds)

Development of a short 'readiness to change' questionnaire for use in brief, opportunistic S Rollnick, N Heather, R Gold, W Hall - British Journal of Addiction, 1992 - nebi.nlm.nih.gov .../Rollnick S, Heather N, Gold R, Hall W ... On this basis, a 12-item 'Readiness to change' elestionnaire was ... provides a short and convenient measure of readiness to...

Cited by 65 - Web Search

Motivational consulting versus brief advice for smokers in general practice, a randomized trial CC Butler, S Rollnick, D Cohen, M Bachmann, I ... - Br J Gen Pract, 1999 - ingentaconnect.com

... of smokers with different degrees of readiness to change their smoking ... CC Butler. S Rollnick, D Cohen, et al ... interventions, 42 the quit measure used here does ...

Cited by 28 - Web Search - ingentaconnect.com

The limits to health promotion

NC Stoti, P Kinnersley, S Rollnick - BMJ, 1994 - bmj.bmjjournals.com

... lie in the paradox that "a measure which brings ... more skilful and less impatient about people's inner readiness to change. NCH Stott, P Kinnersley, S Rollnick. ...

Cited by 9 - Web Search - achinimalib.gov

Development of an instrument to assess readiness to recover in anorexia nervosa

ERieger, S Touyz, D Schotte, P Beumont, J Russell ... - International Journal of Eating Disorders, 2000 - doi.wiley.com

... Rollnick, S., Heather, N., Gold, R., & Hall ... Development of a short "readiness to change" questionnaire for ... and weight-related problems: Measure, theory and

Otted by 14 - Web Search - doi.wiley.com - nobi.nim.nih.gov

Using measures of readiness to change in individuals with schizophrenia

J Addington, N el-Guebaly, V Duchak, D Hodgins - Am J Drug Alcohol Abuse, 1999 - laylorandfrancis.metapress.com

... in terms of examining and compar- ing scales that purportedly measure the same ... Heather,

N., Gold, R., and Rollnick, S., Readiness to Change Questionnaire User ...

Cited by 7 - Web Search - nobi.nim.nih.gov

Screening for smokers in four Sydney teaching hospitals

RL Richmond, AP Bell, S Rollnick, BB Heather - J Cardiovasc Risk, 1996 - ncbi.nlm.nih.gov ... Richmond RL, Bell AP, Rollnick S, Heather BB ... tobacco and alcohol use, and a measure of readiness ... measuring levels of intake and readiness to change tobacco use ...

Cited by 4 - Web Search

Motivation for change and alcoholism treatment

CC DiClemente, LE Bellino, TM Neavins - Alcohol Research and Health, 1999 - hawaii.edti in their motivation or readiness to change, researchers have ... Budney 1993; Miller and Rollnick 1991; Miller ... Researchers have attempted to measure motivation in ...

Cited by 42 - View as HTML - Web Search - hlaaa nih gov - nobi nim nih gov

Comparison of Five Measures of Motivation to Quit Smoking Among a Sample of Hospitalized Smokers en Sciamanna, JS Hoch, GC Duke, MN Fogle, DE Ford - Journal of General Internal Medicine, 2000 - blackwell-synergy.com

... multiple-item clinical measure of readiness to change or several ... Ladder: validation

of a measure of readiness ... Rollnick S, Butler CC, Stott N. Helping smokers ...

Cited by 10 - Web Search - nobi nim nih dov

Further evaluation of the pain stages of change questionnaire: is the transtheoretical model of

MP Jensen, WR Nielson, JM Romano, Mt. Hill, JA ... - Pain, 2000 - publish.uwo.ca

... Miller and Rollnick, 1991; Jensen, 1996; Kerns et al., 1997). Before such goals

can be realized, a valid and reliable measure of readiness to change pain ...

Cited by 15 - View as HTML - Web Search - incentaconnect com - nobl.nim.nin.gov - ali 4 varsions x

A pilot study to establish a randomized trial methodology to test the efficacy of a behavioural ...

DM Tappin, MA Lumsden, D McIntyre, C Mckay, WH ... - Health Education Research, 2000 - her oupjournals.org ... It is simple to measure the number and ... Dr S Rollnick (Miller and Rollnick, 1991)

oversaw ... to late pregnancy (telephone) in 'Readiness to change' for both ...

Cited by 4 - Web Search - her exterdiournals.org - her oupjournals.org - nobi-nim nih gov

Acum

seud ale Jall

5 carred

geamed

Stage of Change as a Predictor of Abstinence Among Alcohol-Dependent Subjects in Pharmacotherapy ...

CA Hernández-Avila, JA Burieson, HR Kranzler - Substance Abuse, 1998 - kluweronline.com ... Rollnick et al ... These investigators (14) developed a 12-item Readiness to Change Questionnaire (RCQ ... Tonigan (33) have developed an alternate measure of readiness ...

Cited by 3 - Web Search - ingentaconnect.com - ncbi.nim.nih.gov

A comparison of two measures of stage of change for smoking cessation

JF Etter, TV Perneger - Addiction, 1999 - ingentaconnect.com

... In survey 1 we used a 19-item questionnaire to measure three dimen-sions of attitudes towards smoking: the negative effects of smoking, the psychoactive bene ...

Cited by 16 - Web Search - ingentaconnect.com - nobi.nlm nih.gov

OUTREACH SERVICE TO INDIGENOUS PROBATIONERS

R Brown, J Scantleton, CD Office, D Maxwell, G ... - aic.gov.au

... The Readiness to Change Questionnaire (RCQ) (Heather & Rollnick, 1993) is a 12-item measure of the "stage of change" reached by an individual with respect ...

View as HTML - Web Search

Use of Motivational Interviewing to Engage and Retain DWI Offenders in Treatment

TH Nochajski, PR Stasiewicz, S Gonzalez - vv. se

... This measure yields 3 subscale scores: Precontemplation ... alcohol's effects, and readiness to change, the counselor ... 5. Miller, WR, and Rollnick, S. Motivational ... View as HEML - Web Search

Prediction of results from correspondence treatment for controlled drinking

GP SAYER - Addiction, 1996 - ingentaconnect.com

... The 12-item Readiness to Change Questionnaire (RCQ; Rollnick et al ... CDSE; Sitharthan et al., 1996) is a 20-item scale based on the measure used in ...

Web Search

A practical instrument to document the process of motivational interviewing

DM Tappin, C McKay, D McIntyre, WH Gilmour, S ... - Behavioural and Cognitive Psychotherapy, 2000 - journals.cambridge.org ... a menu of strategies to match the client's **readiness to change**. ... (Miller & **Rollnick**, 1991) described ... and interaction had a lower quartile **measure** greater than ... Cited by 7 - Web Search - journals.cambridge.org

The 'stages of change'model in health promotion: Science and ideology

R Bunton, S Baldwin, D Flynn, S Whitelaw - Critical Public Health, 2000 - taylorandfrancis.metapress.com ... the confines of the model, seeking to understand processes and measure stage change ... Rollnick, for example, has suggested that three of the model 's stages ... Cited by 12 - Web Search - ingentaconnect.com - ingentaconnect.com

THE IMPACT OF BRIEF MOTIVATIONAL INTERVENTION AT THE START OF AN OUTPATIENT DAY PROGRAMME FOR

S Dench, G Bennett - Behav Cogn Psychother, 2000 - journals.cambridge.org ... of the SOCRATES-8A Readiness to Change questionnaire (Ambivalence ... In WR Miller & S. Rollnick (Eds.), Motivational ... of a questionnaire to measure severity of ... Cited by 2 - Web Search - journals.cambridge.org

Computer-Generated Written Behavioral Contracts with Problem Drinkers in Primary Medical Care.

DC Vinson, A Devera-Sales - Substance Abuse, 2000 - kluweronline.com

... in 1993, the computer program included Rollnick and ... Heather's 12-item Readiness to

Change Questionnaire (24, 25 ... To have an additional measure of the quantity ...

Web Search - nobl.nim.nih.gov.

PRELIMINARY RESULTS OF A NEW INSTRUMENT TO ASSESS PATIENT MOTIVATION FOR TREATMENT IN COGNITIVE- ...

GPJ Keijsers, C Schaap, CAL Hoogduin, B Hoogsteyns ... - Behavioural and Cognitive Psychotherapy, 1999 - journals.cambridge.org ... cognitive-behaviour therapy, and intro- duce a new instrument to measure patient motivation ... treatment (eg, Kanfer & Grimm, 1980; Miller & Rollnick, 1993; Nelson ... Cited by 5 - Web Search - journals.cambridge.org

Improving Physician-delivered Counseling in a Primary Care Setting: Lessons from a Failed Attempt

S KELLER, N DONNER-BANZHOFF, G Kaluza... - Education for Health, 2000 - laylorandfrancis.metapress.com

... structured motivational counseling, tailored to patients' readiness to change. ... movement

across the stages of change to be a sensitive measure of progress in ...

Cited by 2 - Web Search - nobl.nim.nih.gov

scand

Can nurses learn to let go? Issues arising from an intervention designed to improve patients' ...

N Nursing - ingentaconnect.com

... 1988, Rollnick & Miller 1995), was designed to be ... and the ability to measure glycosylated haemoglobin ... taking into account their readiness to change) and, if ... <u>Cited by 2 - Web Search</u>

<u>Development and Standardization of the Self-Regulation Skills Interview(SRSI): A New Clinical</u>.

TL Ownsworth, K McFarland, RMD Young - ... (Neuropsychology Development and Cognition Section D), 2000 - taylorandfrancis.metapress.com

... The present study introduces a new measure of assessing ... following skills: emergent awareness, anticipatory awareness, readiness to change, strategy generation ...

Cited by 6 - Web Search - incentaconnect.com - extenza-eps.com - nobi.nlm.nih.gov - all 6 versions »

RESEARCH REPORT

DM DONOVAN - Addiction, 2000 - blackwell-synergy.com ... An additional measure of improvement was computed by dividing the category ... during-waiting outcome: duration of wait, severity of use and readiness to change. ... Web Search

Predictors of intentions to stop smoking early in prenatal care

DH Ershoff, LJ Solomon, P Dolan-Mullen - Tobacco Control, 2000 - tc.bmjjournals.com ... about their pregnancy may have low readiness to change. ... intervals) was used to measure the degree ... Miller WR, Rollnick S. Motivational interviewing: preparing ... Cited by 6 - Web Search - dx.dol.org - tc.bmjjournals.com - nobi.nim.nih.gov

Training community-based clinicians in screening and brief intervention for substance abuse problems ...

R Sailz, LM Sullivan, JH Samet - Substance Abuse, 2000 - kluweronline.com ... substance-abusing patients regarding readiness to change frequently or ... B: Standardized patients as a measure of change ... Samet JH, Rollnick S, Barnes H: Beyond ... Cited by 6 - Web Search - ingentaconnect.com - nobi.nim.nih.gov

ADDICTIONS SERVICES Decisional Balance Regarding Substance Use Among Persons with Schizophrenia

KB Carey, DM Purnine, SA Maisto, MF Carey, KL ... - Community Mental Health Journal, 1999 - springerlink.com ... s cost-benefit analysis and readiness to change, decisional balance ... Miller, WR, & Rollnick, S. (1991).Motivational ... Decisional balance measure for assessing and ...

Cited by 8 - Web Search - kluweronline.com - nobi.nim.nih.gov

Society for the Study of Addiction: From biology to sociology: evidence base and implementation ...

R CAHILL - taylorandfrancis.metapress.com

... Assessments. Last week's and last 12 months' drinking; social risks scale; Leeds Dependence, readiness to change and SF36 questionnaires. ... Measure- ments. ... Web Search

Facilitating treatment entry among out-of-treatment injection drug users

RE Booth, C Kwiatkowski, MY Iguchi, F Pinto, D ... - Public Health Rep. 1998 - ceattc.org ... Based on the stage or degree of **readiness to change**, a menu of strategies is presented to ... 51 The stages-of-change **measure** we used consisted of 23 items with a ... Cited by 17 - View as HTML - Web Search - nobi.nim.nin.gov

Nutrition assessment of pregnant adolescents

M Story, J Stang - Nutritional and the pregnant adolescent: A practical ..., 2000 - epi.umn.edu ... COMPONENTS OF A NUTRITION ASSESSMENT No single measure or test can give an accurate picture of a person's nutritional status. ...

Cited by 1 - View as HTML - Web Search - epi.umn.edu

Management of alcohol detoxification

D Raistrick - Advances in Psychiatric Treatment, 2000 - dx.doi.org ... the patient to a point of **readiness to change** their drinking ... work in a motivational style (**Rollnick** & Bell ... a standardised rating scale to **measure** the severity ... Cited by 3 - Web Search - aptropsych.org - aptropsych.org

Dialectical behavior therapy for patients with borderline personality disorder and drug-dependence

MM Linehan, H Schmidt, LA Dimeff, JC Craft, J ... - American Journal on Addictions, 1999 - taylorandfrancis.metapress.com ... on age, severity of drug dependence (based on SCID ratings), readiness to change, 34 ... A measure of proportion of days abstinent from alcohol and drugs was cal ...

Cited by 55 - Web Search - ingentaconnect.com - ingentaconnect.com - nobi.nlm.nih.gov.

COMPILED BY GRIFFITH EDWARDS & SUSAN SAVVA

scand

Page 4 of 6

BL KNAPP - Addiction, 2000 - blackwell-synergy.com
... empirical support as a preventive **measure**, its low ... for practi- tioners STEPHEN **ROLLNICK**,
PIP MASON ... cording to which individuals' **readiness to change** a speci ...
Web Search

scand,

A COMPARISON OF SUBSTANCE USE BETWEEN FEMALE INMATES AND FEMALE SUBSTANCE MISUSERS IN TREATMENT

JA Phillips, SJ Nixon, M Phillips, B Pfefferbaum, ... - Alcohol and Alcoholism, 2000 - alcalc.oupjournals.org ... The QFI is a measure of quantity and ... Further research addressing readiness to change (DiClemente and Prochaska ... techniques (Miller and Rollnick, 1991) within ... Cited by 2 - Web Search - alcalo oupjournals.org - ingentaconnect.com - nobi nim nih.cov - all 5 versions x

On a roll: The process of initiation and cessation of problem gambling among adolescents CC Diclemente, M Story, K Murray - Journal of Gambling Studies, 2000 - springerlink.com ... MURRAY 307 viduals in the early stages of change (Miller & Rollnick, 1991; Miller, Zweben, Diclemente, & Rychtarik, 1992). Behavioral ... Cited by 8 - Web Search - kinweronline.com - nobi.nim.nih.gov

NATURE OF THE PROBLEM

Y DOHERTY, P JAMES, S ROBERTS - Blood - doi.wiley.com ... culties inherent in attempting to measure compliance, the ... Rollnick and Miller 47 argue that this ... examine and resolve ambivalence Readiness to change is not a ... Web Search

Provider Training for Patient-Centered Alcohol Counseling in a Primary Care Setting O Investigation, JK Ockene, EV Wheeler, A Adams, ... - Provider, 1997 - uic.edu ... change plans appropriate to the patient's readiness to change. ... 37. Rollnick S, Heather N, Bell A. Negotiating ... of Cohen's kappa agreement measure to interval ... View as HTML - Web Search

The Impact of Interpersonal Patient and Therpist Behavior on Outcome in Cognitive-Behavior Therapy GPJ Keijsers, C Schaap, CAL Hoogduin - Behavior Modification, 2000 - ingentaconnect.com ... motivation is a state of readiness or eagerness to change at a certain moment in time have been influential in this (Miller, 1985; Miller & Rollnick, 1993). ... Cited by 12 - Web Search - bmo.sagepub.com - nobi nim nih.gov

The pediatrician's role in reducing tobacco exposure in children

RJ Stein, CK Haddock, KK O'Byrne, N Hymowitz, J... - Pediatrics, 2000 - pediatrics.org ... 32 An alternative would be to measure urine or saliva cotinine ... participation in discussion and treatment planning, assessment of readiness to change, and the ... Cited by 14 - Cached - Web Search - pediatrics.org - pediatrics.aeopublications.org - nebi.nim.nih.gov

Guidelines for Recognising, Assessing and Treating Alcohol and Cannabis Abuse in Primary Care

A Recognising - ciap.health.nsw.gov.au
... 1.5 1 pint of beer (a 'handle') 2 1 jug of beer 4 1 pub measure of spirits (whisky,
gin, vodka) 1 1 glass of table wine 1 1 bottle of spirits 25 ...

View.as.HIML - Web Search - mzcgn.org.nz - nzgg.org.nz

High-risk population health management—achieving improved patient outcomes and near-term financial ...

JP Lynch, SA Forman, S Graff, MC Gunby - Am J Manag Care, 2000 - ajmc.com
... health actions developed with the patient according to indi- vidual readiness to
change, 9 and ... Figure 2. Acuity Aggregate Measure of the High-Risk Population 0 ...

Cited by 6 - View as HTML - Web Search - nobi.nlm.nih.gov

RUSSELL E. GLASGOW and ELIZABETHG. EAKIN

T BACKGROUND - doi.wiley.com
Page 1. 6 Medical Of®ce-based Interventions RUSSELL E. GLASGOW and ELIZABETHG. EAKIN
AMC Cancer Research Center, Denver, CO, USA THEORETICAL BACKGROUND ...
Web Search

FROM THE EDITOR ...

E Director, MJ Friedman, S Miyahira, A Director - Psychiatry - noptsd.org ... The DESNOS workgroup developed a structured interview, the Structured Interview for Disorders of Extreme Stress (SIDES) to measure the presence of these ... <u>View as HTML - Web Search - hawaii.edu - noptsd.org</u>

Outpatient management of patients with alcohol problems

DA Fiellin, MC Reid, PG O'Connor - Ann Intern Med, 2000 - annals.org

... In one study, the area under the receiver-operating characteristic (ROC) curve, a measure of a test's ability to discriminate between diseased and ... Cited by 13 - Web Search - viahealth.org - ncbl.nim.nih.gov

The Birmingham Untreated Heavy Drinkers' Project

J Orford, S Dalton, E Hartney, M Ferrins-Brown, C ... - Report on wave, 1998 - dh.gov.uk ... Health Educationand Readiness to Change • Although there is much variation in the sample as a whole, most participants perceived ... Cited by 1 - View as HTML - Web Search

The AUDIT Alcohol Consumption Questions (AUDIT-C)

K Bush, DR Kivlahan, MB McDonell, SD Fihn, KA ... - Arch Intern Med, 1998 - ogp.med.va.gov ... provider advice to decrease al-cohol consumption or abstain, and readiness to change (full questionnaire ... strength of this study that we were able to measure it ... Cited by 55 - View as HTML - Web Search - noblinim riin gov

Managing alcohol withdrawal in the elderly

KL Kraemer, J Conigliaro, R Saitz - Drugs Aging, 1999 - ingentaconnect.com ... thereby convey a higher risk. Several assessment scales are available to objectively measure the severity of withdrawal. [25,59,61-63 ... Cited by 8 - Web Search - nobiliniminingov

2. Das" Transtheoretische Modell"(TTM) 2.1. Charakterisierung des Modells

PV Zielkriterium, S der Sorglosigkeit - archiv.ub.uni-marburg.de ... Alkoholabusus, Rollnick, S., Heather, N., Gold, R. & Hall, W. (1992). Development of a short 'readiness to change' questionnaire for use in brief ... Cached · Web Search

Integrating Services for Co-occurring Disorders

F Report - clmhd.org ... the ASI requires training, and that the measure has fairly ... questionnaires that target a client's stage of readiness to change are the URISA (Rollnick, et al ...

View as HTML - Web Search - clmhd.org

воок] A manual of cognitive behavioural techniques aimed at reducing HIV risk-taking behaviour in ...

A Baker, N Heather, A Stallard, K O'Neill, A Wodak - 1998 - ndarc.med.unsw.edu.au ... Miller and Rollnick (1991) outline further strategies for use once the client shows signs of readiness to change. ... validity of a scale to measure HIV risk ... View as HTML - Web Search - Library Search

Correctional Service Canada Service correctionnel Canada Canada

FJ Boland, R Burrill, M Duwyn, J Karp - collection.nlc-bnc.ca ... If this measure is used as a general monitor of progress after release, the reviewer recommends a change in wording to ... RTCQ Readiness to Change Questionnaire. ... Cached - Web Search - collection nic-bnc ca

<u>The Addiction Messenger</u>

DL Montague - nfatto.org

... A key measure of effective treatment with minority clients is ... Substance Abuse Subtle Screening Inventory (SASSI), DRINK Readiness to change: Commitment to ... View.as.HTML - Web Search

Research Branch Direction de la recherche Corporate Development Developpement organisationnel SA Domain - esc-scc.gc.ca

... If this measure is used as a general monitor of progress ... and Treatment Evaluator RDS Restrained Drinking Scale RTCQ Readiness to Change Questionnaire SAAST ... View as HTML - Web Search - collection nic-bnc.ca

Beyond the therapeutic alliance: keeping the drug-dependent individual in treatment

LS Onken, JD Blaine, JJ Boren - 1997 - nida.nih.gov Page 1. Beyond the Therapeutic Alliance: Keeping the Drug-Dependent Individual in Treatment Editors: Lisa Simon Onken, Ph.D. Jack D. Blaine, MD ... Cited by 1 - View as HTML - Web Search - Library Search

INVESTING IN DRUG & ALCOHOL TREATMENT

NTR NUMBER - ndarc.med.unsw.edu.au

... Assessment for treatment for dependence should measure: level of drinking, level of dependence, physical effects of alcohol use, and psychiatric comorbidity. ...

stand.

View as HTML - Web Search

measure rollnick "readiness to chan Search

Google Home - About Google - About Google Scholar

©2005 Google